

## **RESOLUTION OIV-OENO 533-2017**

### **TREATMENT OF WINE USING INACTIVATED YEASTS WITH GUARANTEED GLUTATHIONE LEVELS**

THE GENERAL ASSEMBLY,

CONSIDERING Article 2, paragraph 2 b) ii of the Agreement of 3 April 2001 establishing the International Organisation of Vine and Wine,

CONSIDERING the work of the “Technology” Expert Group during its sessions held in March 2012 and March 2013 on the application of inactivated yeasts rich in glutathione during fermentation,

CONSIDERING the work of the “Technology” and “Specifications of Oenological Products” Expert Groups during the sessions held in March and April 2016 on the fact that the levels of glutathione in these inactivated yeasts are too low to justify the qualifying indication ‘rich in glutathione’,

CONSIDERING the opinion given by the “Food Safety” Expert Group during its 2013 session and the confirmation of this opinion during the 2014 session,

CONSIDERING that the proposed dosage (20 mg/L) poses no health risk, yet some toxicological effects of glutathione may occur at doses greater than 1 g/L,

CONSIDERING the importance, on a technical level, of reduced glutathione derived from the use of certain inactivated yeasts,

TAKING INTO ACCOUNT that inactivated yeasts with guaranteed reduced-glutathione levels, used in the described conditions, are considered as processing aid,

CONSIDERING that the presence of inactivated yeasts with guaranteed reduced-glutathione levels that are higher than those of standard inactivated yeasts in wines makes it possible to maintain the potential for certain varietal aromatic compounds (particularly those of the thiol family) during the maturing and storage of wine,

DECIDES, following a proposal made by Commission II “Oenology”, to introduce the following oenological practices and treatments into part II, chapter 3 of the International Code of Oenological Practices,

DECIDES to replace prescription b) of Resolutions OIV-OENO 445-2015 and OIV-OENO 446 2015 with the formulation given in prescription b) of this draft resolution.

## Part II

### Chapter 3: WINES

#### Treatment of wines using inactivated yeasts with guaranteed glutathione levels

##### Definition:

Addition of inactivated yeasts whose cells have guaranteed reduced-glutathione levels.

##### Objectives:

- a) To limit the oxidation in wines of certain varietal aromatic compounds revealed by the metabolism of yeasts (particularly thiols).

##### Prescriptions:

- a) The addition of inactivated yeasts with guaranteed glutathione levels at the start of maturing or during storage of wines is recommended;
- b) the dose used of glutathione, supplied directly or via yeasts with guaranteed glutathione levels, should not exceed 20 mg/L, in order to avoid any risk of reduction and the emergence of a yeast taste;
- c) the inactivated yeasts with guaranteed glutathione levels should contain a reduced form of glutathione; this may be accompanied by the presence of its precursors (cysteine and particularly gamma-glutamylcysteine);
- d) the inactivated yeasts with guaranteed glutathione levels should comply with the prescriptions of the International Oenological Codex.

##### Recommendation of the OIV:

Accepted subject to adoption of the related monograph.